

Page 1 of 13  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 23.04.2018 / 0011  
Replacing version dated / version: 21.08.2015 / 0010  
Valid from: 23.04.2018  
PDF print date: 17.05.2018  
ATF III 1 L  
Art.: 1043

## Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**ATF III 1 L**

**Art.: 1043**

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture:**

Automatic transmission oil

**Uses advised against:**

No information available at present.

#### 1.3 Details of the supplier of the safety data sheet

GB

LIQUI MOLY GmbH, Jerg-Wieland-Str. 4, 89081 Ulm-Lehr, Germany  
Phone: (+49) 0731-1420-0, Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

#### 1.4 Emergency telephone number

**Emergency information services / official advisory body:**

---

**Telephone number of the company in case of emergencies:**

+49 (0) 700 / 24 112 112 (LMR)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification according to Regulation (EC) 1272/2008 (CLP)**

The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

#### 2.2 Label elements

**Labeling according to Regulation (EC) 1272/2008 (CLP)**

EUH208-Contains Ethanol, 2,2'-iminobis-, N-tallow alkyl derivs.. May produce an allergic reaction.

EUH210-Safety data sheet available on request.

#### 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

Hydrocarbons can be harmful to water.

Product can compose a film on the water surface, which can prevent oxygen exchange.

### SECTION 3: Composition/information on ingredients

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 23.04.2018 / 0011  
Replacing version dated / version: 21.08.2015 / 0010  
Valid from: 23.04.2018  
PDF print date: 17.05.2018  
ATF III 1 L  
Art.: 1043

### 3.1 Substance

n.a.

### 3.2 Mixture

|   |                       |
|---|-----------------------|
| <b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based</b> |                       |
| <b>Registration number (REACH)</b>  | 01-2119474889-13-XXXX |
| <b>Index</b>  | 649-483-00-5          |
| <b>EINECS, ELINCS, NLP</b>  | 276-738-4             |
| <b>CAS</b>  | 72623-87-1            |
| <b>content %</b>  | 20-50                 |
| <b>Classification according to Regulation (EC) 1272/2008 (CLP)</b>          | Asp. Tox. 1, H304     |

|  |                       |
|--|-----------------------|
| <b>Distillates (petroleum), solvent-dewaxed light paraffinic</b>   |                       |
| <b>Registration number (REACH)</b>                                 | 01-2119480132-48-XXXX |
| <b>Index</b>   | 649-469-00-9          |
| <b>EINECS, ELINCS, NLP</b>   | 265-159-2             |
| <b>CAS</b>   | 64742-56-9            |
| <b>content %</b>   | 10-25                 |
| <b>Classification according to Regulation (EC) 1272/2008 (CLP)</b> | Asp. Tox. 1, H304     |

|  |                    |
|--|--------------------|
| <b>methacrylate copolymer</b>                                      |                    |
| <b>Registration number (REACH)</b>                                 | ---                |
| <b>Index</b>   | ---                |
| <b>EINECS, ELINCS, NLP</b>   | ---                |
| <b>CAS</b>   | ---                |
| <b>content %</b>   | 1-5                |
| <b>Classification according to Regulation (EC) 1272/2008 (CLP)</b> | Eye Irrit. 2, H319 |

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

#### Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

#### Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

#### Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Keep Data Sheet available.

#### Ingestion

Do not induce vomiting. Consult doctor immediately.

Danger of aspiration

### 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

The following may occur:

Drying of the skin.

Irritation of the skin.

Allergic reaction possible.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 23.04.2018 / 0011

Replacing version dated / version: 21.08.2015 / 0010

Valid from: 23.04.2018

PDF print date: 17.05.2018

ATF III 1 L

Art.: 1043

#### 4.3 Indication of any immediate medical attention and special treatment needed

n.c.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media

CO<sub>2</sub>

Foam

Dry extinguisher

Water jet spray

##### Unsuitable extinguishing media

High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

H<sub>2</sub>S

Oxides of sulphur

Oxides of phosphorus

Toxic pyrolysis products.

Flammable vapour/air mixtures

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure sufficient supply of air.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

#### 6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent from entering drainage system.

Inform the competent authorities when water or canalisation has been infiltrated.

If accidental entry into drainage system occurs, inform responsible authorities.

#### 6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent) and dispose of according to Section 13.

Oil binder

#### 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

### SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

#### 7.1 Precautions for safe handling

##### 7.1.1 General recommendations

Ensure good ventilation.

Avoid formation of oil mist.

Avoid contact with eyes or skin.

Do not carry cleaning cloths soaked in product in trouser pockets.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Page 4 of 13  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 23.04.2018 / 0011  
 Replacing version dated / version: 21.08.2015 / 0010  
 Valid from: 23.04.2018  
 PDF print date: 17.05.2018  
 ATF III 1 L  
 Art.: 1043

Observe directions on label and instructions for use.

## 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

## 7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Protect against moisture and store closed.

## 7.3 Specific end use(s)

No information available at present.

# SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

| Chemical Name            | Oil mist, mineral  | Content %: |
|--------------------------|--|------------|
| WEL-TWA: 5 mg/m3 (ACGIH) | WEL-STEL: 10 mg/m3 (ACGIH)   | ---        |
| Monitoring procedures:   | - Draeger - Oil 10/a-P (67 28 371)<br>- Draeger - Oil Mist 1/a (67 33 031) |            |
| BMGV: ---                | Other information: ---   |            |

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

(8) = Inhalable fraction (2017/164/EU). (9) = Respirable fraction (2017/164/EU). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(8) = Inhalable fraction (2017/164/EU). (9) = Respirable fraction (2017/164/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

\*\* = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

## 8.2 Exposure controls

| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based |  |                          |            |       |            |      |
|--|--|--------------------------|------------|-------|------------|------|
| Area of application  | Exposure route / Environmental compartment | Effect on health         | Descriptor | Value | Unit       | Note |
|  | Human - oral                               |                          | PNEC       | 9,33  | mg/kg feed |      |
| Consumer   | Human - inhalation                         | Long term, local effects | DNEL       | 1,2   | mg/m3      | 24h  |
| Workers / employees  | Human - inhalation                         | Long term, local effects | DNEL       | 5,4   | mg/m3      | 8h   |

### 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. BS EN 14042.

BS EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Page 5 of 13  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 23.04.2018 / 0011  
 Replacing version dated / version: 21.08.2015 / 0010  
 Valid from: 23.04.2018  
 PDF print date: 17.05.2018  
 ATF III 1 L  
 Art.: 1043

Eye/face protection:  
 Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:  
 Protective nitrile gloves (EN 374)  
 Minimum layer thickness in mm:  
 0,4  
 Permeation time (penetration time) in minutes:  
 > 480  
 The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.  
 The recommended maximum wearing time is 50% of breakthrough time.  
 Protective hand cream recommended.

Skin protection - Other:  
 Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:  
 Normally not necessary.  
 With oil mist formation:  
 Filter A2 P2 (EN 14387), code colour brown, white  
 Observe wearing time limitations for respiratory protection equipment.

Thermal hazards:  
 Not applicable

Additional information on hand protection - No tests have been performed.  
 In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.  
 Selection of materials derived from glove manufacturer's indications.  
 Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.  
 Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.  
 In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.  
 The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

### 8.2.3 Environmental exposure controls

No information available at present.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|  |                              |
|--|------------------------------|
| Physical state:                          | Liquid                       |
| Colour:                                  | Red                          |
| Odour:                                   | Characteristic               |
| Odour threshold:                         | Not determined               |
| pH-value:                                | Not determined               |
| Melting point/freezing point:            | Not determined               |
| Initial boiling point and boiling range: | Not determined               |
| Flash point:                             | 200 °C                       |
| Evaporation rate:                        | Not determined               |
| Flammability (solid, gas):               | Not determined               |
| Lower explosive limit:                   | Not determined               |
| Upper explosive limit:                   | Not determined               |
| Vapour pressure:                         | Not determined               |
| Vapour density (air = 1):                | Not determined               |
| Density:                                 | 0,86 g/ml (15°C)             |
| Bulk density:                            | Not determined               |
| Solubility(ies):                         | Not determined               |
| Water solubility:                        | Insoluble                    |
| Partition coefficient (n-octanol/water): | Not determined               |
| Auto-ignition temperature:               | Not determined               |
| Decomposition temperature:               | Not determined               |
| Viscosity:                               | 36 mm <sup>2</sup> /s (40°C) |

Page 6 of 13  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 23.04.2018 / 0011  
 Replacing version dated / version: 21.08.2015 / 0010  
 Valid from: 23.04.2018  
 PDF print date: 17.05.2018  
 ATF III 1 L  
 Art.: 1043

Viscosity: 7,9 mm<sup>2</sup>/s (100°C)  
 Explosive properties: Not determined  
 Oxidising properties: Not determined

## 9.2 Other information

Miscibility: Not determined  
 Fat solubility / solvent: Not determined  
 Conductivity: Not determined  
 Surface tension: Not determined  
 Solvents content: Not determined

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

The product has not been tested.

### 10.2 Chemical stability

Stable with proper storage and handling.

### 10.3 Possibility of hazardous reactions

No dangerous reactions are known.

### 10.4 Conditions to avoid

See also section 7.

Open flame, ignition sources

Protect from humidity.

### 10.5 Incompatible materials

See also section 7.

Avoid contact with strong oxidizing agents.

### 10.6 Hazardous decomposition products

See also section 5.2

No decomposition when used as directed.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

ATF III 1 L

Art.: 1043

| Toxicity / effect   | Endpoint | Value | Unit | Organism | Test method | Notes  |
|---|----------|-------|------|----------|-------------|--|
| Acute toxicity, by oral route:                                |          |       |      |          |             | n.d.a.   |
| Acute toxicity, by dermal route:                              |          |       |      |          |             | n.d.a.   |
| Acute toxicity, by inhalation:                                |          |       |      |          |             | n.d.a.   |
| Skin corrosion/irritation:                                    |          |       |      |          |             | n.d.a.   |
| Serious eye damage/irritation:                                |          |       |      |          |             | n.d.a.   |
| Respiratory or skin sensitisation:                            |          |       |      |          |             | n.d.a.   |
| Germ cell mutagenicity:                                       |          |       |      |          |             | n.d.a.   |
| Carcinogenicity:  |          |       |      |          |             | n.d.a.   |
| Reproductive toxicity:  |          |       |      |          |             | n.d.a.   |
| Specific target organ toxicity - single exposure (STOT-SE):   |          |       |      |          |             | n.d.a.   |
| Specific target organ toxicity - repeated exposure (STOT-RE): |          |       |      |          |             | n.d.a.   |
| Aspiration hazard:  |          |       |      |          |             | n.d.a.   |
| Symptoms:   |          |       |      |          |             | n.d.a.   |
| Other information:  |          |       |      |          |             | Classification according to calculation procedure. |

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based

| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
|-------------------|----------|-------|------|----------|-------------|-------|
|-------------------|----------|-------|------|----------|-------------|-------|

Page 7 of 13  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 23.04.2018 / 0011  
Replacing version dated / version: 21.08.2015 / 0010  
Valid from: 23.04.2018  
PDF print date: 17.05.2018  
ATF III 1 L  
Art.: 1043

|                                    |      |       |         |        |   |   |
|------------------------------------|------|-------|---------|--------|---|---|
| Acute toxicity, by oral route:     | LD50 | >5000 | mg/kg   | Rat    | OECD 401 (Acute Oral Toxicity)                                |   |
| Acute toxicity, by dermal route:   | LD50 | >5000 | mg/kg   | Rabbit | OECD 402 (Acute Dermal Toxicity)                              |   |
| Acute toxicity, by inhalation:     | LC50 | >5,53 | mg/l/4h | Rat    | OECD 403 (Acute Inhalation Toxicity)                          |   |
| Skin corrosion/irritation:         |      |       |         |        | OECD 404 (Acute Dermal Irritation/Corrosion)                  | Not irritant, Repeated exposure may cause skin dryness or cracking. |
| Serious eye damage/irritation:     |      |       |         |        | OECD 405 (Acute Eye Irritation/Corrosion)                     | Not irritant  |
| Respiratory or skin sensitisation: |      |       |         |        | OECD 406 (Skin Sensitisation)                                 | No (skin contact)   |
| Germ cell mutagenicity:            |      |       |         |        | OECD 471 (Bacterial Reverse Mutation Test)                    | Negative  |
| Carcinogenicity:                   |      |       |         |        | OECD 451 (Carcinogenicity Studies)                            | Negative  |
| Carcinogenicity:                   |      |       |         |        | OECD 453 (Combined Chronic Toxicity/Carcinogenicity Studies)  | Negative  |
| Reproductive toxicity:             |      |       |         |        | OECD 414 (Prenatal Developmental Toxicity Study)              | Negative  |
| Reproductive toxicity:             |      |       |         |        | OECD 421 (Reproduction/Developmental Toxicity Screening Test) | Negative  |
| Aspiration hazard:                 |      |       |         |        |   | Asp. Tox. 1   |

| Distillates (petroleum), solvent-dewaxed light paraffinic |          |       |            |            |  |                   |
|---|----------|-------|------------|------------|--|-------------------|
| Toxicity / effect   | Endpoint | Value | Unit       | Organism   | Test method  | Notes             |
| Acute toxicity, by oral route:                            | LD50     | >5000 | mg/kg      | Rat        | OECD 401 (Acute Oral Toxicity)                           |                   |
| Acute toxicity, by dermal route:                          | LD50     | >5000 | mg/kg      | Rabbit     | OECD 402 (Acute Dermal Toxicity)                         |                   |
| Acute toxicity, by inhalation:                            | LC50     | >5,53 | mg/l       | Rat        | OECD 403 (Acute Inhalation Toxicity)                     |                   |
| Skin corrosion/irritation:                                |          |       |            | Rabbit     |  | Not irritant      |
| Serious eye damage/irritation:                            |          |       |            | Rabbit     |  | Not irritant      |
| Respiratory or skin sensitisation:                        |          |       |            | Guinea pig |  | No (skin contact) |
| Germ cell mutagenicity:                                   |          |       |            | Mammalian  | OECD 474 (Mammalian Erythrocyte Micronucleus Test)       | Negative          |
| Germ cell mutagenicity:                                   |          |       |            |            | OECD 471 (Bacterial Reverse Mutation Test)               | Negative          |
| Germ cell mutagenicity:                                   |          |       |            |            | OECD 473 (In Vitro Mammalian Chromosome Aberration Test) | Negative          |
| Germ cell mutagenicity:                                   |          |       |            |            | OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)    | Negative          |
| Carcinogenicity:  |          |       |            | Mouse      |  | Female, Negative  |
| Reproductive toxicity:                                    | NOAEL    | >2000 | mg/kg bw/d | Rat        | OECD 414 (Prenatal Developmental Toxicity Study)         |                   |

Page 8 of 13  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 23.04.2018 / 0011  
Replacing version dated / version: 21.08.2015 / 0010  
Valid from: 23.04.2018  
PDF print date: 17.05.2018  
ATF III 1 L  
Art.: 1043

|                        |       |       |               |     |  |                                       |
|------------------------|-------|-------|---------------|-----|--|---------------------------------------|
| Reproductive toxicity: | NOAEL | >1000 | mg/kg<br>bw/d | Rat | OECD 421<br>(Reproduction/Developmental Toxicity Screening Test) |                                       |
| Aspiration hazard:     |       |       |               |     |  | Yes                                   |
| Symptoms:              |       |       |               |     |  | drying of the skin., vomiting, nausea |

| methacrylate copolymer         |          |       |      |          |             |              |
|--------------------------------|----------|-------|------|----------|-------------|--------------|
| Toxicity / effect              | Endpoint | Value | Unit | Organism | Test method | Notes        |
| Serious eye damage/irritation: |          | >=65  | %    |          |             | Eye Irrit. 2 |

## SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

| ATF III 1 L<br>Art.: 1043                |          |      |       |      |          |             |  |
|--|----------|------|-------|------|----------|-------------|--|
| Toxicity / effect                        | Endpoint | Time | Value | Unit | Organism | Test method | Notes  |
| 12.1. Toxicity to fish:                  |          |      |       |      |          |             | n.d.a.   |
| 12.1. Toxicity to daphnia:               |          |      |       |      |          |             | n.d.a.   |
| 12.1. Toxicity to algae:                 |          |      |       |      |          |             | n.d.a.   |
| 12.2. Persistence and degradability:     |          |      |       |      |          |             | Isolate as much as possible with an oil separator. |
| 12.3. Bioaccumulative potential:         |          |      |       |      |          |             | n.d.a.   |
| 12.4. Mobility in soil:                  |          |      |       |      |          |             | n.d.a.   |
| 12.5. Results of PBT and vPvB assessment |          |      |       |      |          |             | n.d.a.   |
| 12.6. Other adverse effects:             |          |      |       |      |          |             | n.d.a.   |

| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based |           |      |        |      |                                 |  |       |
|--|-----------|------|--------|------|---------------------------------|--|-------|
| Toxicity / effect  | Endpoint  | Time | Value  | Unit | Organism                        | Test method  | Notes |
| 12.1. Toxicity to fish:  | NOEC/NOEL | 96h  | >=100  | mg/l | Pimephales promelas             | OECD 203 (Fish, Acute Toxicity Test)                     |       |
| 12.1. Toxicity to fish:  | LL50      | 96h  | > 100  | mg/l | Pimephales promelas             | OECD 203 (Fish, Acute Toxicity Test)                     |       |
| 12.1. Toxicity to daphnia:   | EL50      | 48h  | >10000 | mg/l | Daphnia magna                   | OECD 202 (Daphnia sp. Acute Immobilisation Test)         |       |
| 12.1. Toxicity to daphnia:   | NOEC/NOEL | 21d  | 10     | mg/l | Daphnia magna                   | OECD 211 (Daphnia magna Reproduction Test)               |       |
| 12.1. Toxicity to algae:   | NOEC/NOEL | 72h  | >=100  | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test)                  |       |
| 12.1. Toxicity to algae:   | EL50      | 48h  | >100   | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test)                  |       |
| 12.2. Persistence and degradability:                                 |           | 28d  | 46     | %    |                                 | OECD 301 B (Ready Biodegradability - Co2 Evolution Test) |       |



Page 9 of 13  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 23.04.2018 / 0011  
Replacing version dated / version: 21.08.2015 / 0010  
Valid from: 23.04.2018  
PDF print date: 17.05.2018  
ATF III 1 L  
Art.: 1043

|  |           |       |       |      |  |               |  |
|--|-----------|-------|-------|------|--|---------------|--|
| 12.3. Bioaccumulative potential:         | Log Kow   |       | 4,1   |      |  |               | A notable biological accumulation potential has to be expected (LogPow > 3). |
| 12.5. Results of PBT and vPvB assessment |           |       |       |      |  |               | No PBT substance, No vPvB substance  |
| Toxicity to bacteria:                    | NOEC/NOEL | 10min | >1,93 | mg/l |  | DIN 38412 T.8 |  |

| Distillates (petroleum), solvent-dewaxed light paraffinic |           |      |        |      |                                 |  |          |
|---|-----------|------|--------|------|---------------------------------|--|----------|
| Toxicity / effect   | Endpoint  | Time | Value  | Unit | Organism                        | Test method                                      | Notes    |
| 12.1. Toxicity to daphnia:                                | NOEC/NOEL | 21d  | 10     | mg/l | Daphnia magna                   | OECD 211 (Daphnia magna Reproduction Test)       |          |
| 12.1. Toxicity to fish:                                   | LL50      | 96h  | >100   | mg/l | Pimephales promelas             | OECD 203 (Fish, Acute Toxicity Test)             |          |
| 12.1. Toxicity to daphnia:                                | EL50      | 48h  | >10000 | mg/l | Daphnia magna                   | OECD 202 (Daphnia sp. Acute Immobilisation Test) |          |
| 12.1. Toxicity to daphnia:                                | LL50      | 48h  | >1000  | mg/l | Gammarus sp.                    | OECD 202 (Daphnia sp. Acute Immobilisation Test) |          |
| 12.1. Toxicity to algae:                                  | NOEC/NOEL | 72h  | >100   | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test)          |          |
| 12.2. Persistence and degradability:                      |           |      |        |      |                                 |  | Inherent |
| 12.3. Bioaccumulative potential:                          | Log Pow   |      | >3     |      |                                 |  | Low      |

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### For the substance / mixture / residual amounts

Soaked polluted cloths, paper or other organic materials represent a fire hazard and should be controlled, collected and disposed of.  
EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)

13 02 05 mineral-based non-chlorinated engine, gear and lubricating oils

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. dispose at suitable refuse site.

E.g. suitable incineration plant.

#### For contaminated packing material

Pay attention to local and national official regulations.

15 01 01 paper and cardboard packaging

15 01 02 plastic packaging

15 01 04 metallic packaging

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 23.04.2018 / 0011  
Replacing version dated / version: 21.08.2015 / 0010  
Valid from: 23.04.2018  
PDF print date: 17.05.2018  
ATF III 1 L  
Art.: 1043

## SECTION 14: Transport information

### General statements

14.1. UN number: n.a.

### Transport by road/by rail (ADR/RID)

14.2. UN proper shipping name:

14.3. Transport hazard class(es): n.a.

14.4. Packing group: n.a.

Classification code: n.a.

LQ: n.a.

14.5. Environmental hazards: Not applicable

Tunnel restriction code:

### Transport by sea (IMDG-code)

14.2. UN proper shipping name:

14.3. Transport hazard class(es): n.a.

14.4. Packing group: n.a.

Marine Pollutant: n.a.

14.5. Environmental hazards: Not applicable

### Transport by air (IATA)

14.2. UN proper shipping name:

14.3. Transport hazard class(es): n.a.

14.4. Packing group: n.a.

14.5. Environmental hazards: Not applicable

### 14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Non-dangerous material according to Transport Regulations.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC): < 1 %

### 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

## SECTION 16: Other information

Revised sections: 2

### Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H304 May be fatal if swallowed and enters airways.

H319 Causes serious eye irritation.

Asp. Tox. — Aspiration hazard

Eye Irrit. — Eye irritation

### Any abbreviations and acronyms used in this document:

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 23.04.2018 / 0011

Replacing version dated / version: 21.08.2015 / 0010

Valid from: 23.04.2018

PDF print date: 17.05.2018

ATF III 1 L

Art.: 1043

AC Article Categories

acc., acc. to according, according to

ACGIH American Conference of Governmental Industrial Hygienists

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOEL Acceptable Operator Exposure Level

AOX Adsorbable organic halogen compounds

approx. approximately

Art., Art. no. Article number

ATE Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)

BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)

BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BCF Bioconcentration factor

BGV Berufsgenossenschaftliche Vorschrift (= Accident Prevention Regulation)

BHT Butylhydroxytoluol (= 2,6-Di-t-butyl-4-methyl-phenol)

BMGV Biological monitoring guidance value (EH40, UK)

BOD Biochemical oxygen demand

BSEF Bromine Science and Environmental Forum

bw body weight

CAS Chemical Abstracts Service

CEC Coordinating European Council for the Development of Performance Tests for Fuels, Lubricants and Other Fluids

CESIO Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques

CIPAC Collaborative International Pesticides Analytical Council

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

COD Chemical oxygen demand

CTFA Cosmetic, Toiletry, and Fragrance Association

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level

DOC Dissolved organic carbon

DT50 Dwell Time - 50% reduction of start concentration

DVS Deutscher Verband für Schweißen und verwandte Verfahren e.V. (= German Association for Welding and Allied Processes)

dw dry weight

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EC European Community

ECHA European Chemicals Agency

EEA European Economic Area

EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms

EPA United States Environmental Protection Agency (United States of America)

ERC Environmental Release Categories

ES Exposure scenario

etc. et cetera

EU European Union

EWG European Waste Catalogue

Fax. Fax number

gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

HET-CAM Hen's Egg Test - Chorionallantoic Membrane

HGWP Halocarbon Global Warming Potential

IARC International Agency for Research on Cancer

IATA International Air Transport Association

IBC Intermediate Bulk Container

IBC (Code) International Bulk Chemical (Code)

IC Inhibitory concentration

IMDG-code International Maritime Code for Dangerous Goods

Page 12 of 13  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 23.04.2018 / 0011  
 Replacing version dated / version: 21.08.2015 / 0010  
 Valid from: 23.04.2018  
 PDF print date: 17.05.2018  
 ATF III 1 L  
 Art.: 1043

incl. including, inclusive  
 IUCLID International Uniform Chemical Information Database  
 LC lethal concentration  
 LC50 lethal concentration 50 percent kill  
 LCLo lowest published lethal concentration  
 LD Lethal Dose of a chemical  
 LD50 Lethal Dose, 50% kill  
 LDLo Lethal Dose Low  
 LOAEL Lowest Observed Adverse Effect Level  
 LOEC Lowest Observed Effect Concentration  
 LOEL Lowest Observed Effect Level  
 LQ Limited Quantities  
 MARPOL International Convention for the Prevention of Marine Pollution from Ships  
 n.a. not applicable  
 n.av. not available  
 n.c. not checked  
 n.d.a. no data available  
 NIOSH National Institute of Occupational Safety and Health (United States of America)  
 NOAEC No Observed Adverse Effective Concentration  
 NOAEL No Observed Adverse Effect Level  
 NOEC No Observed Effect Concentration  
 NOEL No Observed Effect Level  
 ODP Ozone Depletion Potential  
 OECD Organisation for Economic Co-operation and Development  
 org. organic  
 PAH polycyclic aromatic hydrocarbon  
 PBT persistent, bioaccumulative and toxic  
 PC Chemical product category  
 PE Polyethylene  
 PNEC Predicted No Effect Concentration  
 POCP Photochemical ozone creation potential  
 ppm parts per million  
 PROC Process category  
 PTFE Polytetrafluorethylene  
 REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)  
 REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.  
 RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)  
 SADT Self-Accelerating Decomposition Temperature  
 SAR Structure Activity Relationship  
 SU Sector of use  
 SVHC Substances of Very High Concern  
 Tel. Telephone  
 ThOD Theoretical oxygen demand  
 TOC Total organic carbon  
 TRGS Technische Regeln für Gefahrstoffe (=Technical Regulations for Hazardous Substances)  
 UN RTDG United Nations Recommendations on the Transport of Dangerous Goods  
 VbF Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria))  
 VOC Volatile organic compounds  
 vPvB very persistent and very bioaccumulative  
 WEL-TWA, WEL-STEL WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period), WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period) (EH40, UK).  
 WHO World Health Organization  
 wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.  
 No responsibility.

These statements were made by:

**Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90**

Page 13 of 13  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 23.04.2018 / 0011  
Replacing version dated / version: 21.08.2015 / 0010  
Valid from: 23.04.2018  
PDF print date: 17.05.2018  
ATF III 1 L  
Art.: 1043

---

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.